

Deako Installation and Usage Guide

The Deako logo is centered within a large, light gray rectangular area. It consists of the word "deako" in a bold, lowercase, sans-serif font, followed by a registered trademark symbol (®).

Version: 20260331
Date: Tuesday, March 31, 2026
Authors: Tony Chen

chowmainsoft

Contents

Overview.....	3
Features.....	4
Setup Driver.....	5
Requirements.....	5
Preparing Installation.....	5
Add Deako Connect Driver.....	6
Deako Connect Actions.....	6
Add Deako Light Driver.....	7
FAQ.....	8
What are the Requirements for this driver?.....	8
Why is this product so exciting?.....	8
What hardware will this work on?.....	8
Does it have SDDP discovery?.....	8
What capabilities does it support?.....	8
Do you offer any other cool drivers?.....	8
Change Log.....	9
Version 20260331 - 31-MAR-2026.....	9

Overview

Deako is the leader in whole-home smart lighting system, designed to enhance modern homes with convenience, flexibility, and energy efficiency. Modular by design, Deako's plug-and-play switches provide a scalable and flexible foundation for whole-home lighting control that's premium yet affordable, and efficient, reducing installation time by about 20% on average. It's compatible with leading automation systems, making it easy to deliver a sophisticated lighting experience without the typical installation burden.

Features

- Deako Connect Driver
 - Automatic discovery by SDDP for Smart Switch (Gen 2)
 - Smart Switch gateway device that is not discovered by SDDP is supported by this driver by manually setting the network IP
 - Automatically Create bindings for Lights and relays
 - Auto Setup - Auto add Deako Light Drivers, set binding and automatically rename the driver to match the naming of the Deako devices
- Deako Light Driver
 - Automatically detect the light capabilities
 - Support On/Off and Dimming



Setup Driver

Requirements

- Control4 OS 3.3.2 is the minimum required. Earlier Control4 OS Versions are not officially supported.

Preparing Installation

1. Add Drivers by Select Driver > "Add or Update Driver or Agent" from the toolbar in the top left of Composer Pro and add the Deako connect and Deako Light drivers.

Name	Date modified	Type	Size
 deako_connect.c4z	2/02/2026 11:42 pm	Control4 C4Z Driver	6 KB
 deako_light.c4z	2/02/2026 11:42 pm	Control4 C4Z Driver	5 KB

2. Open "Connection > Network > IP Network" and make sure the Deako is showing in the Available Devices

Connections

Control/AV

Network

IP Network

Zigbee Network

Z-Wave Network

System Design

Connections

IP Network Connections

Identify

Di

Disconnect All IP

Refresh


View as: ☐ Tree ☒ List

Device


Room

1 CORE 1


Room

 Hisense TV

Room

 Dynalite Gateway (Ch...

Kevin

 T4 8" Tabletop Touc...

Room

Available Devices

others

SDDP deako-221S002117025642

Add Deako Connect Driver

1. Add the Deako Connect Driver by going "System Design > Discovered", find the deako_connect_v2 device and add it to project

Items		
Locations	Discovered	My Drivers
Search		
Type	Manufacturer	Model
dendo_renkei	Dendo Systems Pt...	Renkei PoE
Controllers	Control4	C4-EA1
Controllers	Control4	C4-EA1
Blinds	Somfy	PoE_Motor
Cameras	Snap One	LUM-420-IP-PTZ-25V
Security System	Elk_Products	M1
UIDevice	Control4	C4-TS-PORTABLE10
Controllers	Control4	C4-CORE1
Blinds	Somfy	PoE_Motor
wattbox	SnapAV	Wattbox
deako_connect	Deako	DP-BRXM-WHMC-UK

2. Select the newly added Deako Connect Driver, choose if you wish it to Auto Rename in the settings. Go into Actions and click on Auto Setup

Properties	
Properties	Actions Documentation Lua
Debug Mode	Print
Auto Rename	True
Connection Status	Connected
Devices Found	3

Deako Connect Actions

Properties	
Properties	Actions Documentation Lua
<div>Auto Setup</div> <div>Clear Bindings</div>	

Auto Setup - It poll the Deako device and add bindings for new devices. Light drivers will be automatically added, it will be renamed to match with the Deako light if Rename settings is set to true. Relay binding are created for switches and plugs.

Clear Binding - Remove all the connection binding to the Deako Connect driver and start over

Add Deako Light Driver

- If you wish to add the bindings to the Deako Light drivers manually, go into "Connection", select the Deako Connect Driver, drag the Deako Light Output from the top section to the the Deako Light Input at the bottom section.

FAQ

What are the Requirements for this driver?

- Control4 OS 3.3.2
- Control4 HC-XXX Series controllers are not supported

Why is this product so exciting?

Deako's Smart Switches range offer convenience and simple solution to your new or existing home with the intuitive controls through the Deako app and now the Control4 App through the integration

What hardware will this work on?

This driver is compatible with the [Deako Smart Switches](#) products.

Does it have SDDP discovery?

SDDP is only supported on Smart Switch (Gen 2) as a gateway device, any other Deako devices will require manually setting the IP address

What capabilities does it support?

The Deako Smart dimmer will be automatically imported as a native Control4 dimmer light. The Deako Smart switch and Smart Plug will be import as a native Control4 on/off light and offers an option for relay controls with the relay binding

Do you offer any other cool drivers?

Control4 is a major part of our business. We develop new drivers all the time. You can see all of our drivers on our website (<https://chowmain.software>). Sign up to our newsletter to get notified when new drivers are released.

Change Log

Version 20260331 - 31-MAR-2026

- Initial release